





| | |
|------------------------|----|
| ABOUT YEEZE | 04 |
| APPLICATIONS | 08 |
| OUR FACTORY | 10 |
| GARDEN PARASOLS | 12 |
| • SIDE-POLE PARASOLS | 14 |
| | 18 |
| | 22 |
| | 26 |
| | 30 |
| • CENTRE-POLE PARASOLS | 34 |
| | 38 |
| | 42 |
| | 46 |
| | 50 |
| | 54 |
| • FIBER GLASS PARASOLS | 58 |
| | 62 |
| CONTRACT PARASOLS | |
| • SIDE-POLE PARASOLS | 66 |
| | 70 |
| | 74 |
| | 78 |

| | | |
|---------------------------------|--|-----|
| • TELESCOPIC PARASOLS | RHINE | 82 |
| | SONEVA | 86 |
| | HAKURA | 90 |
| • CENTRE-POLE PARASOLS | COCOA | 94 |
| | ADAARAN | 98 |
| | KEYWEST | 102 |
| | VIONE | 106 |
| | ISEO | 110 |
| | MILOS | 114 |
| | BAROS | 118 |
| | BAROS-AD | 122 |
| BASE SOLUTION | | 126 |
| | STEEL BASE FRAME | 128 |
| | STEEL PALTE BASE | 130 |
| | PLASTIC BASE WITH WATER / SAND FILLING | 132 |
| | NATURE GRANITE STONE BASE | 133 |
| | CONCRETE-FILLED BASE | 135 |
| | GROUND ANCHOR | 136 |
| | SAND ANCHOR | 137 |
| FABRIC SOUTION | | 138 |
| FRAME TREATMENT | | 148 |
| PROTECTIVE COVER | | 150 |
| CUSTOMIZATION AND ADVERTISEMENT | | 152 |

ABOUT YEEZE

Ningbo Yeeze Commodities Co., Ltd is located in Yinzhou District, Ningbo city, east of China, and is very close to Ningbo port, which is one of the main exporting ports in China. The factory occupies a production area of over 40,000 square meters, with 6 modern production lines and over 350 well-trained experienced workers. Yeeze has certifications of BSCI, Sedex, Scan and ISO9001, and can also offer product test reports issued by laboratories who have ISO17025 certifications.

Although relatively newly founded in 2017, Yeeze is a qualified supplier of high-end outdoor umbrellas with over 25 years of design and production experience in European and North American markets. We have a one-stop buying process designed to offer our customers easily access to a wide range of outdoor shading products such as Cantilever, Market umbrellas, Heavy-duty umbrellas, as well as Shade sails, Furniture protection covers, and Bases, applicable to both home use and commercial use.

As a professional manufacturer of outdoor umbrellas, we're focusing on creating truly unique pieces of durable umbrellas, by scientific and humanized design, high-quality materials, traditional craftsmanship and modern manufacturing techniques.



PERFECT COMBINATION OF DESIGN AND QUALITY

In line with the principle of the perfect combination of design and quality, as well as the industry's rich design and production experience, we achieve a perfect balance between quality and cost, in which product design is not exaggerated and plagiarized. We provide customers with in-depth customized services, and jointly develop with customers to achieve proprietary design and market monopoly, and ultimately achieve long-term cooperation and a win-win situation.

INDUSTRIAL BASE ADVANTAGE

We are located in Ningbo city, the famous mold base of China. With the advantages of the mold industry, we can get a professional and excellent mold for die-casting and plastic accessories, which are two main important parts of the umbrella, for example, the internal parts of the crank, zinc tilt of the market umbrella, which always determine the quality of the entire umbrella, as mold quality will not only affect the strength, but also effect the precision. Thus with good quality of die-casting parts and plastic parts, we can provide precise, steady, durable and cost-effective products for all our customers.

We are also close to Tangxi town, the famous “hardware town” of the industry. The hardware of the umbrella also takes an important role, especially we use all stainless steel hardware. We have many choices in this “Hardware Town” with good price and good quality. That’s why we can offer 100% rust-resistant umbrellas.

TESTING LAB

We deeply understand the importance of customer requirements for exact tolerance and precision processing quality for every part of the umbrella. So we invest and built up our own lab with big and small machines for different kinds of tests, for example, fabric running machine for defect checking, salt-spraying test for stainless steel screws, side strength and pressure test for carton box. For fabric, we do humidity test, water pressure test, and tearing test besides the color and basic weight checking. Our R&D and quality control team not only use our own equipment and tools, but also cooperate with well-know professional testing companies to meet special testing needs of our customers, for example, the wind testing for the strength of the whole umbrella.

CUSTOMERS

As a professional manufacturer of the outdoor umbrella, we are capable to cooperate with different kinds of customers and full fill all their requirements. We have enough production capacity for orders from super market or wholesaler, and we’re also able to develop new designs for specialty stores. Benefit from 20 years of design and production experience, we know what high-end and high quality really means, especially for commercial use at the hotel, restaurant and resort. It will be your most wise choice to start umbrella business with Yeeze.

DEEP CUSTOMIZATION

Based on over 20 years of design and production experience from cooperating with high-end brands in European and North American market, we are able to offer more special deep customization service to our customers. With customers’ new product briefs, ideal concepts, or appearance designs, we can turn them out to be new umbrellas fulfilled with practical functions, nice details and high quality. Regarding this kind of joint development, we can also offer customer exclusive selling in their markets. We aim to be customers’ partners on outdoor umbrellas, and set up deep cooperation and development with customers for the better win-win future.

PROFESSIONAL AND EFFICIENCY SERVICE

Service is not only our core competency but the company's greatest strength. We ensure our customers have scientific designs, qualified raw materials, reasonable prices, good products, on-time shipment and customs clearance, and efficient after-sales service. Our goal is to make the purchase and delivery process as easy and convenient to customers as possible. We have great working relationships with air and sea transportation companies and can arrange shipping and customs clearance for your products efficiently. We handle everything from this end and allow you to concentrate on marketing the products.

APPLICATIONS

FOR HOTELS AND RESTAURANTS

Umbrellas for commercial use always require more strength, stability, function and design. We knows exactly these requirements and can always satisfy customers with superior performance on these terms. Besides the technical, functional, and humane design, we only uses high-quality materials, including thick aluminum tubes, real 304 stainless steel, precise mechanism accessories, as well as luxury acrylic fabrics. All of these contribute to the robust resistant umbrellas which can stand up to wind speeds of max. 90km/h without a problem.

FOR GARDENS

We spend over 90% of each day indoors. From our homes to our offices and the commutes in between, it seems like we’ve forgotten what it’s like to spend quality time in the garden.

Setting up Yeeze umbrella in the garden is icing on the cake for summer enjoyment. With stable construction, multiple functions and high quality materials, Yeeze umbrella is weather resistant and guarantees a long life span. What’s more, with a wide range of patterns and colors, Yeeze umbrella can always be matched to different styles of gardens. Besides plenty of color options, Yeeze cover fabrics offer excellent UV protection during the enjoyment.

FOR THE PATIO / TERRACE

As an indispensable extension of the living room, the patio/terrace are worth to be set up with high-quality umbrellas. Due to the robust construction and high-quality fabric, Yeeze umbrella offer optimum protection again the sun and rain, and can stand up to the wind conditions on the coast and on mountains. As a professional manufacturer for the outdoor umbrella, Yeeze offer umbrellas at full range of size to suit for different patio/terrace space. No matter needed by side of swimming pool, or to matching for 6-pc or 8-pc furniture set, Yeeze can all work it out, with different patterns of the umbrella, as well as proper base solutions.

FOR THE BALCONY

Balcony is kind of important but small space of the house. With Yeeze umbrella at customized dimensions, small balcony can also easily play their roles. Combining with tilt function, people can get perfect sun protection at any time of the day.

OUR FACTORY

350+ WELL-TRAINED WORKERS

40,000+ SQUARE METER PRODUCTION AREA

500,000+ PIECES ANNUAL PRODUCTION CAPACITY

25-YEAR FOCUSED ON HIGH-END OUTDOOR UMBRELLA



UMBRELLA OVERVIEW



MEERU
P14



TICINO
P26



KANI PRO
P18



MITRE
P66



SIRMIONE
P30



JOALI
P22



GARDA PRO
P78



GARDA
P74



NIKA
P34



SANIBEL
P62



MARCO
P70



VIONE
P106



MIRIHI
P38



ADAARAN
P98



COCOA
P94



RHINE
P82



BAROS
P118



VINCI
P54



BANDOS
P50



SONEVA
P86



BARES
P46



BODENGO
P58



MILOS
P114




HAKURA
P90

MEERU

The Luxury Multi-Functional Cantilever

MEERU is a premium quality outdoor hanging umbrella, made with all the best materials we can use on an outdoor umbrella: large and thick aluminum tubes, stainless steel screws, genuine leather reinforcement on the fabric, etc., all of which help this umbrella stand Long-term use and durability outdoors, even in windy areas. What's more, MEERU's multi-functional design: infinite position vertical tilt, left & right tilt and 360-degree swivel makes MEERU perfect for summer gardens.






LED Option 1




LED Option 2






1



2



3

| Shape | Item # | Size | Clear Headroom | Height to the Ground (closed, base not included) | Total Height (Closed) | Minimum Weight for Base | Wind Resistant |
|---|----------|------------|----------------|---|--------------------------|-------------------------|-------------------|
| | | cm | cm | cm | cm | kg | km/h (wind force) |
|  | YA01308 | Φ3M | 200 | 100 | 250 | 100KG | 50KM/H |
| | YA01338 | Φ3.3M | 200 | 82 | 250 | 100KG | 50KM/H |
| | YA01358 | Φ3.5M | 200 | 81 | 255 | 100KG | 40KM/H |
|  | YA01258S | 2.5 x 2.5M | 200 | 76 | 254 | 100KG | 50KM/H |
| | YA01308S | 3 x 3M | 200 | 40 | 250 | 100KG | 40KM/H |
|  | YA01348R | 3 x 4M | 210 | 12 | 260 | 130KG | 35KM/H |
| | YA01438R | 4 x 3M | 200 | 37 | 285 | 200KG | 35KM/H |

Product Features

Material

Full aluminum frame
304 Stainless steel screw and rivet
Optional fabrics Polyester / Olefin / Acrylic

Opening System

Crank lifting with anti-slip

Function

Step-less up and down adjustment
Left and right tilting
360 degree rotation
Flexible ribs ends

Application Area

Garden Hotel Restaurant Pool

LED

Option 1: Movable LED central Lamp
Output in lumens 110lm/230lm/340lm
Lighting time 30h/15h/10h
Charging time 8h by plug/ 20h by solar

Option 2: Fixed LED Lights
Output in lumens 43lm/92lm/127lm
Lighting time 23h/13h /8h
Charging time 8h by plug/ 20h by solar

Accessory

Protection cover included

Base Solutions

Steel base / Plastic base / Granite base / Ground anchor


KANI PRO

The Stylish Cantilever

With square pole and square crank, this cantilever brings you kind of special and stylish feeling. The standing pole is 75 x 100 cm. With all cast aluminum hubs, this umbrella frame can hold bigger size steadily and can stand up to 50 km/h wind speed.

This umbrella is also multifunctional, with all functions that a cantilever should have. And the 360g rotation function has a different operation way from Meeru.





LED Option 1



LED Option 2





1



2



3

| Shape | Item # | Size | Clear Headroom | Height to the Ground (closed, base not included) | Total Height (Closed) | Minimum Weight for Base | Wind Resistant |
|---|----------|------------|----------------|---|--------------------------|-------------------------|-------------------|
| | | cm | cm | cm | cm | kg | km/h (wind force) |
|  | YA03358 | Φ3.5M | 200 | 88 | 265 | 100KG | 50KM/H |
| | YA03408 | Φ4M | 200 | 77 | 277 | 130KG | 40KM/H |
|  | YA03308S | 3 x 3M | 200 | 44 | 258 | 100KG | 50KM/H |
| | YA03358S | 3.5 x 3.5M | 200 | 22 | 271 | 130KG | 40KM/H |

Product Features

| | |
|------------------|--|
| Material | Full aluminum frame 304 Stainless steel screw and rivet Optional fabrics Polyester / Olefin / Acrylic |
| Opening System | Crank lifting with anti-slip |
| Function | Step-less up and down adjustment Left and right tilting 360 degree rotation Flexible ribs ends keeping fabric tight all the time |
| Application Area | Garden Hotel Restaurant Pool |
| LED | Option 1: Movable LED central Lamp Output in lumens 110lm/230lm/340lm Lighting time 30h/15h/10h Charging time 8h by plug/ 20h by solar Option 2: Fixed LED Lights Output in lumens 43lm/92lm/127lm Lighting time 23h/13h /8h Charging time 8h by plug/ 20h by solar |
| Accessory | Protection cover included |
| Base Solutions | Steel base / Plastic base / Granite base / Ground anchor |

JOALI

Joali is our most cost-effective cantilever umbrella, it has all the necessary functions, including left & right tilting and 360 degree rotation. As a garden umbrella, it is retaining our consistent design taste, taking into account both cost-effectiveness and beauty, and is very suitable for private home use.







1



2



3

| Shape | Item # | Size | Clear Headroom | Height to the Ground (Closed, base not included) | Total Height (Closed) | Mininum Weight for Base | Wind Resistant |
|---|----------|------------|----------------|---|--------------------------|-------------------------|-------------------|
| | | cm | cm | cm | cm | kg | km/h (wind force) |
|  | YA07308 | Φ3M | 200 | 106 | 257 | 100KG | 30KM/H |
| | YA07338 | Φ3.3M | 200 | 99 | 266 | 100KG | 30KM/H |
|  | YA07258S | 2.5 x 2.5M | 200 | 69 | 247 | 100KG | 30KM/H |
| | YA07308S | 3 x 3M | 200 | 47 | 257 | 100KG | 30KM/H |

Product Features

Material

Full aluminum frame
304 Stainless Steel Screws and Rivets
Optional fabrics (Polyester / Olefin / Acrylic)

Opening System

Crank lifting with anti-slip

LED

Magnetic central Lamp
Output in lumens 110lm / 230lm / 340lm
Lighting time 30h / 15h / 10h
Charging time 8h by plug / 20h by solar

Function

Step-less up and down adjustment
Left and Right tilting
360 degree rotation
Flexible rib-ends

Application Area

Garden / Patio

Accessory

Protection cover included

Base Solutions

Cross base / Steel base / Plastic base / Granite base

TICINO

The Big Size Cantilever

This cantilever is the upgrade version of MEERU. Besides all the strength points of MEERU, this umbrella is even stronger, including bigger standing pole 75 x 100 cm, and stronger constructions, to afford bigger size to 3.5 x 3.5 m, however his umbrella can still stand up to 50 km/h wind speed.






LED Option 1



LED Option 2






1



2



3

| Shape | Item # | Size | Clear Headroom | Height to the Ground (closed, base not included) | Total Height (Closed) | Minimum Weight for Base | Wind Resistant |
|---|----------|------------|----------------|---|--------------------------|-------------------------|-------------------|
| | | cm | cm | cm | cm | kg | km/h (wind force) |
|  | YA08338 | Φ3.3M | 200 | 83 | 251 | 100KG | 50KM/H |
| | YA08358 | Φ3.5M | 200 | 81 | 257 | 100KG | 40KM/H |
| | YA08408 | Φ4M | 200 | 70 | 269 | 130KG | 35KM/H |
|  | YA08308S | 3 x 3M | 200 | 37 | 250 | 100KG | 40KM/H |
| | YA08358S | 3.5 x 3.5M | 200 | 15 | 263 | 130KG | 35KM/H |
|  | YA08348R | 3 x 4M | 200 | 12 | 260 | 130KG | 35KM/H |
| | YA08438R | 4 x 3M | 210 | 33 | 283 | 200KG | 25KM/H |

Product Features




| | |
|------------------|--|
| Material | Full aluminum frame |
| | 304 Stainless steel screw and rivet |
| | Optional fabrics Polyester / Olefin / Acrylic |
| Opening System | Crank lifting with anti-slip |
| Function | Step-less up and down adjustment |
| | Left and right tilting |
| | 360 degree rotation |
| | Flexible ribs ends keeping fabric tight all the time |
| Application Area | Garden Hotel Restaurant Pool |
| LED | Option 1: Movable LED central Lamp |
| | Output in lumens 110lm/230lm/340lm |
| | Lighting time 30h/15h/10h |
| | Charging time 8h by plug/ 20h by solar |
| | Option 2: Fixed LED Lights |
| | Output in lumens 43lm/92lm/127lm |
| | Lighting time 23h/13h /8h |
| | Charging time 8h by plug/ 20h by solar |
| Accessory | Protection cover included |
| Base Solutions | Steel base / Plastic base / Granite base / Ground anchor |

SIRMIONE

Sirmione is a beautifully crafted all-aluminium cantilever with strong and durable components! It has a smooth crank-operated system, tilts left and right, and swivels 360 degrees. In addition, it can also be equipped with an individually controlled LED lighting system, making it both practical and beautiful. These advantages making it an ideal choice for home garden use.





| Shape | Item # | Size | Clear Headroom | Height to the Ground (closed, base not included) | Total Height (Closed) | Minimum Weight for Base | Wind Resistant |
|---|----------|------------|----------------|---|--------------------------|-------------------------|-------------------|
| | | cm | cm | cm | cm | kg | km/h (wind force) |
|  | YA15308 | Φ3M | 200 | 100 | 250 | 100KG | 50KM/H |
| | YA15338 | Φ3.3M | 200 | 82 | 250 | 100KG | 50KM/H |
| | YA15358 | Φ3.5M | 200 | 81 | 255 | 100KG | 40KM/H |
|  | YA15258S | 2.5 x 2.5M | 200 | 76 | 254 | 100KG | 50KM/H |
| | YA15308S | 3 x 3M | 200 | 40 | 250 | 100KG | 40KM/H |
|  | YA15348R | 3 x 4M | 200 | 12 | 260 | 130KG | 35KM/H |
| | YA15438R | 4 x 3M | 200 | 37 | 285 | 200KG | 35KM/H |

Product Features

Material

Full aluminum frame
304 Stainless steel screw and rivet
Optional fabrics Polyester / Olefin / Acrylic

Opening System

Crank lifting with anti-slip

Function

Step-less up and down adjustment
Left and right tilting
360 degree rotation
Flexible ribs ends keeping fabric tight all the time

Application Area

Garden

LED

Option 1: Movable LED central Lamp
Output in lumens 110lm/230lm/340lm
Lighting time 30h/15h/10h
Charging time 8h by plug/ 20h by solar

Option 2: Fixed LED Lights
Output in lumens 43lm/92lm/127lm
Lighting time 23h/13h /8h
Charging time 8h by plug/ 20h by solar

Accessory

Protection cover not included

Base Solutions

Steel base / Plastic base / Granite base / Ground anchor

NIKA

The Classic Crank Umbrella

This market umbrella is a typical classic market umbrella, with crank opening system, and step-less auto tilting. Its pole is Dia.38 mm which can fit to almost all the base in the market, for consumers' convenient matching. The tilt is made of Zinc, which much stronger than aluminum tilt. So this umbrella is quite steady, and wind resistant up to 40 km/h.







1



2



3

| Shape | Item # | Size | Clear Headroom | Height to the Ground (closed, base not included) | Total Height (Closed) | Minimum Weight for Base | Wind Resistant |
|---|-----------|------------|----------------|---|--------------------------|-------------------------|-------------------|
| | | cm | cm | cm | cm | kg | km/h (wind force) |
|  | YB38278 | Φ2.7M | 200 | 107 | 250 | 25KG | 30KM/H |
| | YB38308 | Φ3M | 200 | 94 | 250 | 25KG | 30KM/H |
| | YB38338 | Φ3.3M | 200 | 79 | 250 | 25KG | 30KM/H |
|  | YB38258S | 2.5 x 2.5M | 200 | 69 | 250 | 25KG | 30KM/H |
|  | YB382538R | 2.5 x 3M | 218 | 72 | 272 | 25KG | 30KM/H |

Product Features

| | |
|------------------|---|
| Material | Full aluminum frame |
| | 304 Stainless steel screw and rivet |
| | Optional fabrics Polyester / Olefin / Acrylic |
| Opening System | Crank lifting with anti-slip |
| Function | Step-less auto tilting |
| Application Area | Garden Patio Balcony |
| LED | Fixed LED Lights |
| | Output in lumens 43lm / 92lm / 127lm |
| | Lighting time 30h / 12h / 8h |
| | Charging time 8h by plug / 20h by solar |
| Accessory | Protection cover not included |
| Base Solutions | Steel base / Concrete base / Granite base |









MIRIHI

The Twist Tilting Umbrella

This market umbrella is a luxury market umbrella and has a special twist mechanism for tilting. By this twist tilt, the roof can be tilt to infinite angles you desired. Its pole is Dia.38 mm which can fit to almost all the base in the market, for consumers' convenient matching. With popular Dia.38.4 mm pole and zinc tilt, this umbrella is able to stand up to wind resistant at 40 km/h.



| Shape | Item # | Size | Clear Headroom | Height to the Ground (closed, base not included) | Total Height (Closed) | Minimum Weight for Base | Wind Resistant |
|---|-----------|------------|----------------|---|--------------------------|-------------------------|-------------------|
| | | cm | cm | cm | cm | kg | km/h (wind force) |
|  | YC38278 | Φ2.7M | 200 | 100 | 250 | 25KG | 30KM/H |
| | YC38308 | Φ3M | 200 | 94 | 250 | 25KG | 30KM/H |
| | YC38338 | Φ3.3M | 200 | 79 | 250 | 25KG | 30KM/H |
|  | YC38258S | 2.5 x 2.5M | 200 | 69 | 250 | 25KG | 30KM/H |
|  | YC382538R | 2.5 x 3M | 218 | 72 | 272 | 25KG | 30KM/H |

Product Features

| | |
|------------------|---|
| Material | Full aluminum frame 304 Stainless steel screw and rivet Optional fabrics Polyester / Olefin / Acrylic |
| Opening System | Crank lifting with anti-slip |
| Function | Collar tilting |
| Application Area | Garden Patio Balcony |
| LED | Fixed LED Lights Output in lumens 43lm / 92lm / 127lm Lighting time 30h / 12h / 8h Charging time 8h by plug / 20h by solar |
| Accessory | Protection cover not included |
| Base Solutions | Steel base / Concrete base / Granite base |





YEEZE SHADE

FARU

Best Affordable Umbrella

We only use the best materials for all YEEZE umbrellas. For this basic market umbrella, we also use natural aluminum pole/ribs and zinc tilt/handle. Comparing with other central pole crank umbrellas, FARU is with simple manual tilting, to make it affordable for every Gardener. And it's 38 mm central pole make it easy to find bases to hold in the market.



| Shape | Item # | Size | Clear Headroom | Height to the Ground (closed, base not included) | Total Height (Closed) | Minimum Weight for Base | Wind Resistant |
|---|----------|------------|----------------|---|--------------------------|-------------------------|-------------------|
| | | cm | cm | cm | cm | kg | km/h (wind force) |
|  | YD38278 | Φ2.7M | 200 | 107 | 250 | 25KG | 45KM/H |
| | YD38308 | Φ3M | 200 | 94 | 250 | 25KG | 40KM/H |
| | YD38338 | Φ3.3M | 200 | 79 | 250 | 25KG | 45KM/H |
|  | YD38258S | 2.5 x 2.5M | 200 | 69 | 250 | 25KG | 40KM/H |

Product Features

| | |
|------------------|---|
| Material | Full aluminum frame 304 Stainless steel screw and rivet Optional fabrics Polyester / Olefin / Acrylic |
| Opening System | Crank lifting with anti-slip |
| Function | Push tilting |
| Application Area | Garden Patio Balcony |
| LED | Not available |
| Accessory | Protection cover not included |
| Base Solutions | Steel base / Concrete base / Granite base |




BARES

A smart sunshade

BARES is perfectly fit for small outdoor spaces, like extremely angular and narrow balconies. Thanks to the push up system, it can be open and closed effortlessly by one hand. With tilt function and the height-adjustable central pole, BARES can provides you long time shade during the whole day.





| Shape | Item # | Size | Clear Headroom | Height to the Ground (closed, base not included) | Total Height (Closed) | Minimum Weight for Base | Wind Resistant |
|---|------------|------------|----------------|---|--------------------------|-------------------------|-------------------|
| | | cm | cm | cm | cm | kg | km/h (wind force) |
|  | YF38204S | 2 x 2M | 200 | 93 | 238 | 35KG | 30KM/H |
| | YF38258S | 2.5 x 2.5M | 200 | 59 | 238 | 35KG | 30KM/H |
|  | YF38258 | Φ2.5M | 200 | 108 | 238 | 35KG | 30KM/H |
| | YF38308 | Φ3M | 200 | 84 | 238 | 35KG | 30KM/H |
|  | YF3815216R | 1.5 x 2.1M | 200 | 101 | 238 | 35KG | 30KM/H |
| | YF382256R | 2 x 2.5M | 200 | 73 | 238 | 35KG | 30KM/H |

Product Features

| | |
|------------------|---|
| Material | Full aluminum frame 304 Stainless steel screw and rivet Optional fabrics Polyester / Olefin / Acrylic |
| Opening System | Push system |
| Function | Manual tilt Adjustable Height |
| Application Area | Garden Patio Balcony |
| Accessory | Protection cover not included |
| Base Solutions | Steel base / Concrete base / Granite base |



1



2



3





BANDOS

Wooden umbrellas are the traditional trend on the market. Due to the limitation of wood materials, aluminium parasols have gradually replaced wooden ones. Now we have developed an aluminium umbrella with wooden looking, which combines durability with beauty. Compared with powder coating and anodizing umbrellas, wooden looking umbrellas will make your space look more natural and original. The combination of pull cords and pulleys makes it easier to open the umbrella.





| Shape | Item # | Size | Clear Headroom | Height to the Ground (Closed, base not included) | Total Height (Closed) | Mininum Weight for Base | Wind Resistant |
|---|-----------|------------|----------------|---|--------------------------|-------------------------|-------------------|
| | | cm | cm | cm | cm | kg | km/h (wind force) |
|  | YID48308 | Φ3M | 210 | 100 | 256 | 55KG | 40KM/H |
| | YID48338 | Φ3.3M | 210 | 85 | 256 | 55KG | 40KM/H |
| | YID48358 | Φ3.5M | 210 | 75 | 256 | 55KG | 40KM/H |
|  | YID48258S | 2.5 x 2.5M | 210 | 66 | 256 | 55KG | 40KM/H |
| | YID48308S | 3 x 3M | 210 | 41 | 256 | 55KG | 40KM/H |

Product Features

| | |
|------------------|---|
| Material | Full Aluminum frame |
| | 304 Stainless Steel Screws and Rivets |
| | Optional fabrics (Polyester / Olefin / Acrylic) |
| Opening System | Pulley system |
| Application Area | Garden / Patio / Terrace / Pool / Restaurant &Hotel / Seaside |
| Accessory | Protection cover not included |
| Base Solutions | Steel base / Concrete base / Granite base |



1



2



3

VINCI

The Lady Friendly Umbrella

VINCI is an typical pulley umbrella with dia.48mm pole, which is easy to find bases to hold on the market. It has two wheels which make it light and smooth to pull and open. What's more, we add a Self-Locking Yacht Rope Cleat on the lower part of the central pole, to make it easy to operate, which is more friendly to lady.








1



2



3

| Shape | Item # | Size | Clear Headroom | Height to the Ground (closed, base not included) | Total Height (Closed) | Minimum Weight for Base | Wind Resistant |
|---|----------|------------|----------------|---|--------------------------|-------------------------|-------------------|
| | | cm | cm | cm | cm | kg | km/h (wind force) |
|  | YI48214S | 2.1 x 2.1M | 200 | 94 | 250 | 35KG | 50KM/H |
| | YI48258S | 2.5 x 2.5M | 200 | 69 | 250 | 35KG | 40KM/H |
| | YI48308S | 3 x 3M | 200 | 33 | 250 | 55KG | 35KM/H |
|  | YI48258 | Φ2.5M | 200 | 118 | 250 | 35KG | 50KM/H |
| | YI48308 | Φ3M | 200 | 94 | 250 | 35KG | 40KM/H |
| | YI48358 | Φ3.5M | 200 | 70 | 250 | 55KG | 35KM/H |
|  | YI48236R | 2 x 3M | 210 | 62 | 243 | 55KG | 35KM/H |

Product Features

| | |
|------------------|---|
| Material | Full aluminum frame 304 Stainless steel screw and rivet Optional fabrics Polyester / Olefin / Acrylic |
| Opening System | Pulley system |
| Function | Self-lock easy operation |
| Application Area | Garden Patio Balcony |
| Accessory | Protection cover not included |
| Base Solutions | Steel base / Concrete base / Granite base |



BODENGO

Dancing in the wind

This solid fiberglass market umbrella is manufactured using the most resilient materials available. The fiberglass ribs allow the frame to bend and flex easily in windy conditions, while the durable aluminum center pole, and new plastic parts ensure this umbrella will provide years of worry-free shade. It is designed to allow you to bring commercial durability to your cherished outdoor living space.





| Shape | Item # | Size | Clear Headroom | Height to the Ground (closed, base not included) | Total Height (Closed) | Minimum Weight for Base | Wind Resistant |
|---|-------------|------------|----------------|---|--------------------------|-------------------------|-------------------|
| | | cm | cm | cm | cm | kg | km/h (wind force) |
|  | YI38258S-GF | 2.5 x 2.5M | 200 | 66 | 245 | 35KG | 50KM/H |
|  | YI38308-GF | Φ3M | 200 | 93 | 245 | 35KG | 50KM/H |
| | YI38338-GF | Φ3.3M | 200 | 77 | 245 | 35KG | 50KM/H |

Product Features

| | |
|------------------|---|
| Material | Full aluminum frame |
| | 304 Stainless steel screw and rivet |
| | Optional fabrics Polyester / Olefin / Acrylic |
| Opening System | Pulley system |
| Application Area | Garden Hotel Restaurant Pool |
| Accessory | Protection cover not included |
| Base Solutions | Steel base / Concrete base / Granite base |



1



2



3



SANIBEL

Shade In The Wind

Sanibel is Made from thick, high-grade aluminum pole and fiberglass ribs. Engineered for maximum durability, these extremely flexible ribs are built to withstand harsh weather conditions. A robust fiberglass frame ensures that your umbrella will stay sturdy for years to come.





1



2



3

| Shape | Item # | Size | Clear Headroom | Height to the Ground (closed, base not included) | Total Height (Closed) | Minimum Weight for Base | Wind Resistant |
|---|-------------|------------|----------------|---|--------------------------|-------------------------|-------------------|
| | | cm | cm | cm | cm | kg | km/h (wind force) |
|  | YB38278-GF | Φ2.7M | 200 | 107 | 250 | 25KG | 55KM/H |
| | YB38308-GF | Φ3M | 200 | 94 | 250 | 25KG | 50KM/H |
| | YB38338-GF | Φ3.3M | 200 | 79 | 250 | 25KG | 45KM/H |
|  | YB38258S-GF | 2.5 x 2.5M | 200 | 69 | 250 | 25KG | 45KM/H |

Product Features


| | |
|------------------|--|
| Material | Aluminum central pole with fiberglass ribs 304 Stainless steel screw and rivet Optional fabrics Polyester / Olefin / Acrylic |
| Opening System | Crank lifting with anti-slip |
| Function | Step-less auto tilting |
| Application Area | Garden Patio Balcony |
| Accessory | Protection cover not included |
| Base Solutions | Steel base / Concrete base / Granite base |

MITRE

The Heavy-duty Cantilever

This huge umbrella is the top-level cantilever. Its standing pole is 80 x 120 cm, and with ribs 20 x 30 mm. This robust frame can hold big size up to 4 x 4 M. It can survive in tough weather, like windy countries with up to 60 km/h wind. Matching with 5-year warranty fabric, this umbrella is the best choice for commercial applications.







1



2



3

| Shape | Item # | Size | Clear Headroom | Height to the Ground (closed, base not included) | Total Height (Closed) | Minimum Weight for Base | Wind Resistant |
|---|----------|------------|----------------|---|--------------------------|-------------------------|-------------------|
| | | cm | cm | cm | cm | kg | km/h (wind force) |
|  | YA19358 | Φ3.5M | 220 | 108 | 284 | 200KG | 60KM/H |
| | YA19408 | Φ4M | 220 | 81 | 283 | 200KG | 60KM/H |
|  | YA19258S | 2.5 x 2.5M | 210 | 94 | 268 | 200KG | 60KM/H |
| | YA19308S | 3 x 3M | 210 | 59 | 269 | 200KG | 60KM/H |
| | YA19358S | 3.5 x 3.5M | 220 | 36 | 284 | 200KG | 60KM/H |
| | YA19408S | 4 x 4M | 220 | 12 | 288 | 200KG | 50KM/H |

Product Features

| | |
|------------------|--|
| Material | Full aluminum frame |
| | 304 Stainless steel screw and rivet |
| | Optional fabrics Polyester / Olefin / Acrylic |
| Opening System | Crank lifting with anti-slip |
| Function | Step-less up and down adjustment |
| | 360 degree rotation |
| | Flexible ribs ends keeping fabric tight all the time |
| Application Area | Hotel Restaurant Pool |
| Accessory | Protection cover included |
| Base Solutions | Steel base / Granite base / Ground anchor |

MARCO

The Gas-assisted, anti-gravity cantilever

MARCO is with same pole as Kani-pro, but it stands up to the elements and features an ingenious deployment system with no internal moving parts, or cables to break, and best of all, no antiquated crank handles. This design gives you the ability to open or close the umbrella in just 3 seconds. The umbrella has been designed to be ready to go right out of the box, by installing it anywhere in your outdoor space, you can get the instant benefit of a rotatable shade solution.







1



2



3

| Shape | Item # | Size | Clear Headroom | Height to the Ground (closed, base not included) | Total Height (Closed) | Minimum Weight for Base | Wind Resistant |
|---|----------|------------|----------------|---|--------------------------|-------------------------|-------------------|
| | | cm | cm | cm | cm | kg | km/h (wind force) |
|  | YA10358 | Φ3.5M | 210 | - | 247 | 100KG | 40KM/H |
| | YA10408 | Φ4M | 210 | - | 247 | 100KG | 40KM/H |
|  | YA10258S | 2.5 x 2.5M | 210 | - | 247 | 100KG | 40KM/H |
| | YA10308S | 3 x 3M | 210 | - | 247 | 100KG | 40KM/H |

Product Features


| | |
|------------------|--|
| Material | Full aluminum frame |
| | 304 Stainless steel screw and rivet |
| | Optional fabrics Polyester / Olefin / Acrylic |
| Opening System | Gas-assisted, anti-gravity |
| Function | 360 degree rotation |
| | Flexible ribs ends keeping fabric tight all the time |
| Application Area | Hotel Restaurant Pool |
| LED | Magnetic central Lamp |
| | Output in lumens 110lm/230lm /340lm |
| | Lighting time 30h/15h/10h |
| | Charging time 8h by plug/ 20h by solar |
| Accessory | Protection cover included |
| Base Solutions | Steel base / plastic base / granite base / ground anchor |



GARDA

The Commercial Cantilever

Garda combines two outdoor umbrellas of 300 x 300 cm and they together can provide 18 m² of shade. It's easy to open and close with gas-assisted, instead of cables which make you worry about the broken and replacement. Each roof can be opened, closed and tilted in height individually. And due to the one-pole design, the space underneath can be used optimally which makes this sunshade ideal for HoReCa projects.



1

2

3

| Shape | Item # | Size | Clear Headroom | Height to the Ground (Closed, base not included) | Total Height (Closed) | Minimum Weight for Base | Wind Resistant |
|-------|-------------|----------------|----------------|---|--------------------------|-------------------------|-------------------|
| | | cm | cm | cm | cm | kg | km/h (wind force) |
| | YA10308S-2X | 3 x 3M x 2 | 210 | 50 | 260 | 130KG | 35KM/H |
| | YA10258S-2X | 2.5 x 2.5M x 2 | 210 | 51 | 260 | 130KG | 35KM/H |

Product Features

Material
Full aluminum frame
304 Stainless steel screw and rivet
Optional fabrics Polyester / Olefin / Acrylic

Opening System
Gas-assisted, anti-gravity

Function
360 degree rotation

Application Area
Hotel Restaurant Pool

LED
Magnetic central Lamp
Output in lumens 110lm/230lm /340lm
Lighting time 30h/15h/10h
Charging time 8h by plug/ 20h by solar

Accessory
Protection cover included

Base Solutions
Steel base / plastic base / granite base / ground anchor





GARDA PRO


An exceptionally sturdy outdoor umbrella with an elegant and luxurious appearance. With four separate outdoor umbrellas of 300 x 300 cm on one central pole, this model offers no less than 40 m² of shade. Each parasol can be tilted in height and opened individually.



1

2

3

| Shape | Item # | Size | Clear Headroom | Height to the Ground (closed, base not included) | Total Height (Closed) | Minimum Weight for Base | Wind Resistant |
|---|-------------|--------|----------------|---|--------------------------|-------------------------|-------------------|
| | | cm | cm | cm | cm | kg | km/h (wind force) |
|  | YA10308S-4X | 3 x 3M | 220 | 77 | 289 | 200KG | 15KM/H |

Product Features

| | |
|------------------|---|
| Material | Full aluminum frame 304 Stainless steel screw and rivet Optional fabrics Polyester / Olefin / Acrylic |
| Opening System | Gas-assisted, anti-gravity |
| Function | 360 degree rotation |
| Application Area | Hotel Restaurant Pool |
| LED | Magnetic central Lamp Output in lumens 110lm/230lm /340lm Lighting time 30h/15h/10h Charging time 8h by plug/ 20h by solar |
| Accessory | Protection cover included |
| Base Solutions | Steel base/ plastic base / granite base / ground anchor |



RHINE

The Telescopic Umbrella

This commercial umbrella is a good choice for restaurants. As it's telescopic system, it won't bother you to move furnitures underneath the umbrella. The central pole size is Dia.60 mm whose strength is levels up than normal market umbrellas'. Due to physically design, it's easy and light to open such big size umbrella. This umbrella is durable and wind resistant up to 60 km/h.





| Shape | Item # | Size | Clear Headroom | Height to the Ground (closed, base not included) | Total Height (Closed) | Minimum Weight for Base | Wind Resistant |
|---|------------|------------|----------------|---|--------------------------|-------------------------|-------------------|
| | | cm | cm | cm | cm | kg | km/h (wind force) |
|  | YE60358S | 3.5 x 3.5M | 225 | 93 | 342 | 60KG | 60KM/H |
| | YE60408S | 4 x 4M | 225 | 77 | 362 | 80KG | 60KM/H |
|  | YE6025358R | 2.5 x 3.5M | 210 | 75 | 255 | 80KG | 60KM/H |
|  | YE60408 | Φ4M | 225 | 121 | 324 | 60KG | 60KM/H |
| | YE60508 | Φ5M | 225 | 98 | 352 | 80KG | 60KM/H |

Product Features

Material Full aluminum frame
304 Stainless steel screw and rivet
Optional fabrics Polyester / Olefin / Acrylic

Opening System Crank lifting with anti-slip

Function Telescopic system for higher closing position

Application Area Garden Hotel Restaurant Pool


LED Fixed LED Lights
Output in lumens 50lm / 110lm / 152lm
Lighting time 46h / 18h / 12h
Charging time 8h by plug and solar

Accessory Protection cover included

Base Solutions Steel base / Granite base / Ground anchor



1



2





3

SONEVA

This parasols is designed to meet all large commercial outdoor shading needs. With a strong frame and durable system, they can withstand strong winds of up to 75-100 mph in wind tunnel testing. It has a heavy-duty gearbox and self-lubricating lead screw mechanism for smooth and easy opening and closing with the external Movable 304SS handle. All the accessories on these umbrellas are replaceable, and the convenient maintenance ensures a longer service life for them.





| Shape | Item # | Size | Clear Headroom | Height to the Ground (Closed, base not included) | Total Height (Closed) | Mininum Weight for Base | Wind Resistant |
|---|----------|------------|----------------|---|--------------------------|-------------------------|-------------------|
| | | cm | cm | cm | cm | kg | km/h (wind force) |
|  | YE80408 | Φ4M | 220 | 174 | 382 | 100KG | 80KM/H |
| | YE80458 | Φ4.5M | 220 | 156 | 394 | 100KG | 80KM/H |
| | YE80508 | Φ5M | 220 | 136 | 355 | 100KG | 70KM/H |
|  | YE80308S | 3 x 3M | 220 | 140 | 362 | 100KG | 80KM/H |
| | YE80358S | 3.5 x 3.5M | 220 | 112 | 362 | 100KG | 80KM/H |
| | YE80408S | 4 x 4M | 220 | 94 | 382 | 100KG | 80KM/H |

Product Features

| | |
|------------------|---|
| Material | Full Aluminum frame |
| | 304 Stainless Steel Screws and Rivets |
| | Optional fabrics (Polyester / Olefin / Acrylic) |
| Opening System | Screw driven system |
| Function | Telescopic system for higher closing position |
| Application Area | Garden / Pool / Restaurant &Hotel |
| Accessory | Protection cover included |
| Base Solutions | Steel base / Granite base / Ground anchor |

HAKURA

The Heavy-Duty Umbrella

This heavy-duty umbrella is designed for restaurant, hotels and all other outdoor commercial plazas. Its pole is Dia.100 mm with stripe. All stainless steel screw connection make it easy to replace the canopy and other spare parts. Thanks to the technical design and telescopic system, such heavy-duty umbrella is still very easy operating and no disturb on the furniture when closing. With wind resistant up to 80 km/h, this umbrella is far stronger than what actually need, which at the same time means its durability and long life span.









1



2



3

| Shape | Item # | Size | Clear Headroom | Height to the Ground (closed, base not included) | Total Height (Closed) | Minimum Weight for Base | Wind Resistant |
|---|-----------|--------|----------------|---|--------------------------|-------------------------|-------------------|
| | | cm | cm | cm | cm | kg | km/h (wind force) |
|  | YE100408S | 4 x 4M | 230 | 81 | 369 | 100KG | 80KM/H |
| | YE100508S | 5 x 5M | 230 | 33 | 392 | 100KG | 70KM/H |
|  | YE100458R | 4 x 5M | 230 | 67 | 392 | 100KG | 80KM/H |
|  | YE100508 | Φ5M | 230 | 115 | 372 | 100KG | 80KM/H |
| | YE100608 | Φ6M | 230 | 86 | 390 | 100KG | 70KM/H |

Product Features

| | |
|------------------|---|
| Material | Full aluminum frame |
| | 304 Stainless steel screw and rivet |
| | Optional fabrics Polyester / Olefin / Acrylic |
| Opening System | Crank lifting with anti-slip |
| Function | Telescopic system for higher closing position |
| Application Area | Garden Hotel Restaurant Pool |
| LED | Fixed LED Lights |
| | Output in lumens 250lm / 440lm / 635lm |
| | Lighting time 21h / 12h / 8h |
| | Charging time 9h by plug / 10h by solar |
| Accessory | Protection cover included |
| Base Solutions | Steel base / Granite base / Ground anchor |



COCOA

The Easiest Umbrella

This push up umbrella is nicely designed for small places, like balcony and cafe shop by road side. Its reverse construction make it really easy operating. All what you need to do is just push up, and it will be fixed by itself, even without a lock. What's more, the soft handle make you feel comfortable, just like sitting underneath and enjoying a short break. Its solid one-piece-pole Dia.38 mm is really steady and strong enough to stand up to Grade 8 wind in Summer.







1



2



3

| Shape | Item # | Size | Clear Headroom | Height to the Ground (closed, base not included) | Total Height (Closed) | Minimum Weight for Base | Wind Resistant |
|---|----------|------------|----------------|---|--------------------------|-------------------------|----------------|
| | | cm | | | | | |
|  | YG38204S | 2 x 2M | 195 | 89 | 231 | 25KG | 50KM/H |
| | YG38224S | 2.2 x 2.2M | 195 | 79 | 231 | 25KG | 50KM/H |
|  | YG38276 | Φ2.7M | 195 | 89 | 231 | 25KG | 50KM/H |
| | YG38306 | Φ3M | 195 | 76 | 231 | 25KG | 50KM/H |

Product Features

| | |
|------------------|---|
| Material | Full aluminum frame |
| | 304 Stainless steel screw and rivet |
| | Optional fabrics Polyester / Olefin / Acrylic |
| Opening System | Push up |
| Application Area | Garden Hotel Restaurant Pool |
| Accessory | Protection cover not included |
| Base Solutions | Steel base / Concrete base / Granite base / Sand anchor |





ADAARAN

A Stylish Umbrella


This is another easy push up umbrella, same as Cocoa, but it's equipped with an unique luxurious square central pole and ribs. What's more, the pole is available for 1-piece-pole, or 2-piece-pole, which make it feasible for both balcony as well as bistro/café shop.




1



2



3

| Shape | Item # | Size | Clear Headroom | Height to the Ground (closed, base not included) | Total Height (Closed) | Minimum Weight for Base | Wind Resistant |
|---|-----------|------------|----------------|---|--------------------------|-------------------------|-------------------|
| | | cm | cm | cm | cm | kg | km/h (wind force) |
|  | YGA38204S | 2 x 2M | 195 | 89 | 231 | 25KG | 50KM/H |
| | YGA38224S | 2.2 x 2.2M | 195 | 74 | 236 | 25KG | 50KM/H |

Product Features

| | |
|------------------|---|
| Material | Full aluminum frame |
| | 304 Stainless steel screw and rivet |
| | Optional fabrics Polyester / Olefin / Acrylic |
| Opening System | Push up |
| Application Area | Garden Hotel Restaurant Pool |
| Accessory | Protection cover not included |
| Base Solutions | Steel base / Concrete base / Granite base |



KEYWEST

Elegant Shade In The Wind

KeyWest is the younger sister of VIONE, with all same details but a smaller central pole 38mm, but it's still strong enough to stand up to 60km/h, which is sufficient for bistro and café shop.



1

2

3

| Shape | Item # | Size | Clear Headroom | Height to the Ground (closed, base not included) | Total Height (Closed) | Minimum Weight for Base | Wind Resistant |
|---|-------------|------------|----------------|---|--------------------------|-------------------------|-------------------|
| | | cm | cm | cm | cm | kg | km/h (wind force) |
|  | YI38258S-SP | 2.5 x 2.5M | 210 | 77 | 260 | 35KG | 50KM/H |
|  | YI38258-SP | Φ2.5M | 210 | 127 | 260 | 35KG | 55KM/H |
| | YI38278-SP | Φ2.7M | 210 | 117 | 260 | 35KG | 60KM/H |
| | YI38308-SP | Φ3M | 210 | 103 | 260 | 35KG | 55KM/H |
| | YI38338-SP | Φ3.3M | 210 | 89 | 260 | 35KG | 50KM/H |

Product Features

| | |
|------------------|---|
| Material | Full aluminum frame |
| | 304 Stainless steel screw and rivet |
| | Optional fabrics Polyester / Olefin / Acrylic |
| Opening System | Pulley system |
| Application Area | Garden / Hotel / Restaurant / Café Shop |
| Accessory | Protection cover not included |
| Base Solutions | Steel base / Granite base |

VIONE

Prince of the Wind

The full aluminum umbrella is elegant, refined and sure to satisfy your need for shade in any upscale commercial or residential setting. The easy glide pulley system allows for easy opening and closing. Its sturdy aluminum frame, silver finish finial add the perfect touch to give your cherished outdoor space the enhanced appearance found at luxury resorts, hotels, and restaurants. The full aluminum hubs make it strong enough to stand up to 70 km/h wind, and you can store it outdoors in winter without any problems.






1



2



3

| Shape | Item # | Size | Clear Headroom | Height to the Ground (closed, base not included) | Total Height (Closed) | Minimum Weight for Base | Wind Resistant |
|---|-------------|------------|----------------|---|--------------------------|-------------------------|-------------------|
| | | cm | cm | cm | cm | kg | km/h (wind force) |
|  | YI48258S-OU | 2.5 x 2.5M | 220 | 84 | 261 | 35KG | 70KM/H |
| | YI48308S-OU | 3 x 3M | 220 | 49.5 | 261 | 45KG | 60KM/H |
|  | YI48308-OU | Φ3M | 220 | 110 | 261 | 45KG | 60KM/H |
| | YI48358-OU | Φ3.5M | 220 | 85 | 261 | 45KG | 55KM/H |
| | YI48408-OU | Φ4M | 220 | 62 | 261 | 45KG | 50KM/H |

Product Features

| | |
|------------------|---|
| Material | Full aluminum frame |
| | Aluminum extrusion and CNC hubs |
| | 304 Stainless steel screw and rivet |
| | Optional fabrics Polyester / Olefin / Acrylic |
| Opening System | Pulley system |
| Application Area | Garden Hotel Restaurant Pool |
| Accessory | Protection cover not included |
| Base Solutions | Steel base / Granite base |





ISEO

ISEO is an typical pulley umbrella with popular size dia.48mm pole, which is easy to find bases to hold on the market. Its aluminum wrapped hubs and stainless steel ribears make the umbrella better weather-resistant, as well as having an high-end look. Tothor with the heat-transfer wooden looking, this umbrella exudes elegant flair like the wooden umbrella on your patio.





1



2



3

| Shape | Item # | Size | Clear Headroom | Height to the Ground (closed, base not included) | Total Height (Closed) | Minimum Weight for Base | Wind Resistant |
|---|-----------|------------|----------------|---|--------------------------|-------------------------|-------------------|
| | | cm | cm | cm | cm | kg | km/h (wind force) |
|  | YIB48214S | 2.1 x 2.1M | 200 | 93.5 | 250 | 35KG | 55KM/H |
| | YIB48258S | 2.5 x 2.5M | 200 | 70 | 250 | 55KG | 50KM/H |
| | YIB48308S | 3 x 3M | 200 | 33 | 250 | 55KG | 40KM/H |
|  | YIB48258 | Φ2.5M | 200 | 118 | 250 | 55KG | 55KM/H |
| | YIB48308 | Φ3M | 200 | 93.5 | 250 | 35KG | 50KM/H |
| | YIB48358 | Φ3.5M | 200 | 70 | 250 | 55KG | 40KM/H |

Product Features

| | |
|------------------|---|
| Material | Full aluminum frame 304 Stainless steel screw and rivet Optional fabrics Polyester / Olefin / Acrylic |
| Opening System | Pulley system |
| Application Area | Garden Hotel Restaurant Pool |
| Accessory | Protection cover not included |
| Base Solutions | Steel base / Granite base |

MILOS

Milos that will grace your garden by its sleek and elegant look and is constructed to perform faultlessly. Including a cord pulley to smoothly open and close the umbrella. You are able to enjoy the perfect shade for years to come because of a high performance and protective canopy.







1



2



3

| Shape | Item # | Size | Clear Headroom | Height to the Ground (Closed, base not included) | Total Height (Closed) | Minimum Weight for Base | Wind Resistant |
|---|-----------|------------|----------------|---|--------------------------|-------------------------|-------------------|
| | | cm | cm | cm | cm | kg | km/h (wind force) |
|  | YIB38308 | Φ3M | 210 | 103 | 256 | 55KG | 40KM/H |
| | YIB38258 | Φ2.5M | 210 | 122 | 256 | 55KG | 40KM/H |
|  | YIB38258S | 2.5 x 2.5M | 210 | 75 | 256 | 55KG | 40KM/H |
| | YIB38208S | 2 x 2M | 210 | 108 | 256 | 55KG | 40KM/H |

Product Features

| | |
|------------------|--|
| Material | Full aluminum frame |
| | 304 Stainless steel screw and rivet |
| | Optional fabrics Polyester/ Olefin Acrylic |
| Opening System | Pully system |
| Application Area | Garden Restaurant Pool Seaside |
| Accessory | Protection cover not included |
| Base Solutions | Steel base / granite base |


BAROS

The Pulley Umbrella

This traditional pulley umbrella is has two wheels which make it light and smooth to pull and open. Its central pole is Dia.50.8 mm with 3 position to stop the roof. And the one-piece pole make it strong enough to stand up to 70 km/h wind.





| Shape | Item # | Size | Clear Headroom | Height to the Ground (closed, base not included) | Total Height (Closed) | Minimum Weight for Base | Wind Resistant |
|---|----------|------------|----------------|---|--------------------------|-------------------------|-------------------|
| | | cm | cm | cm | cm | kg | km/h (wind force) |
|  | YI51258S | 2.5 x 2.5M | 210 | 66 | 245 | 40KG | 50KM/H |
| | YI51308S | 3 x 3M | 210 | 50 | 245 | 40KG | 50KM/H |
|  | YI51308 | Φ3M | 210 | 93 | 245 | 40KG | 50KM/H |
| | YI51358 | Φ3.5M | 210 | 66 | 245 | 40KG | 50KM/H |
| | YI51408 | Φ4M | 210 | 30 | 245 | 55KG | 50KM/H |

Product Features

| | |
|------------------|---|
| Material | Full aluminum frame |
| | 304 Stainless steel screw and rivet |
| | Optional fabrics Polyester / Olefin / Acrylic |
| Opening System | Pulley system |
| Function | Step-less auto tilting |
| Application Area | Garden Hotel Restaurant Pool |
| Accessory | Protection cover not included |
| Base Solutions | Steel base / Granite base |






BAROS-AD

The Umbrella for Advertisement

To make the advertisement on the canopy more obvious for the passerby, the roof surface is designed to be more inclined than normal umbrellas. Together with the strong central pole dia.50.8mm and 16x28mm ribs, Baros-ad is durable and robust enough for commercial use for HoReCa projects.






1



2



3

| Shape | Item # | Size | Clear Headroom | Height to the Ground (closed, base not included) | Total Height (Closed) | Minimum Weight for Base | Wind Resistant |
|---|-------------|------------|----------------|---|--------------------------|-------------------------|-------------------|
| | | cm | cm | cm | cm | kg | km/h (wind force) |
|  | YI51204S-MO | 2 x 2M | 220 | 128 | 280 | 35KG | 55KM/H |
| | YI51258S-MO | 2.5 x 2.5M | 220 | 96 | 280 | 35KG | 50KM/H |
|  | YI51308S-MO | 3 x 3M | 220 | 61 | 280 | 45KG | 40KM/H |
| | YI51278-MO | Φ2.7M | 220 | 130 | 280 | 35KG | 50KM/H |
|  | YI51308-MO | Φ3M | 220 | 120 | 280 | 45KG | 50KM/H |
| | YI51358-MO | Φ3.5M | 220 | 103 | 280 | 45KG | 40KM/H |

Product Features

| | |
|------------------|---|
| Material | Full aluminum frame |
| | 304 Stainless steel screw and rivet |
| | Optional fabrics Polyester / Olefin / Acrylic |
| Opening System | Pulley system |
| Application Area | Hotel / Restaurant / Café shop |
| Accessory | Protection cover not included |
| Base Solutions | Steel base / Concrete base / Granite base |



BASE SOLUTION

The outdoor umbrella also requires the right base solution. It will vary according to different application environments and different umbrella types. YEEZE offers various base solutions. Basically, there are three types of umbrella bases:

Free-standing Base:

Does your umbrella remain in the same place most of the time and does not obstruct any walkways? If so, we recommend using a free-standing base. Bases come in different dimensions, weights and materials.

- Steel base frame, weighted by granite pavers, with aluminum cover as an option
- Steel plate base, from small weight 25KG to 200KG
- Plastic base with water/sand filling
- Nature granite stone base

Mobile base solution:

Do you want to be able to adapt your umbrella to the position of the sun? If so, what you need is a base with wheels. We have steel and stainless steel Wheels, both are strong enough to support up to 200KG base.

Ground anchors:

Does the umbrella have a fixed place on a terrace that never changes? If so, we recommend that you use a ground anchor firmly in concrete, so that the base doesn't stick up and become a tripping hazard. For cafés and restaurants in particular, this type of fixation is very useful. Guests and waiting staff can move around freely underneath the umbrellas and between tables without a base getting in the way. It's first choice for HoReCa projects.


STEEL BASE FRAME WITH GRANITE PAVERS

Steel base frame is quite flexible for customers to organize according to their favorite. It can be weighted by concrete pavers, or granite pavers, or other tiles that are available at local stores. And the aluminum cover make the base looks cleaner and more elegant. We offer different heights to hold different paver layers to reach weight from 130KG to 200KG. Heavy weight is still able to be easy-moving with stainless steel wheels.


| Item # | ZF10 | ZF01 / ZF09 | ZF06 / ZF07 |
|-------------------|---|-----------------|--|
| Weight (Kg) | 110 Kg | 140 Kg | 210 Kg |
| L x W x H (cm) | 123 x 57 x 12 cm | 85 x 85 x 10 cm | 85 x 85 x 14 cm |
| Frame Treatment | E-coating and Powder coating, Option: Hot-dip galvanization | | |
| Parasol size (cm) | Up to 300 cm | Up to 300 cm | Up to 400 cm |
| Option | Wheels / Aluminum cover | | |
| Fit for | MEERU / TICINO / KANI PRO / SIRMIONE / MARCO | | MEERU / TICINO / KANI PRO / SIRMIONE / MITRE |



* Optional 1



* Optional 2



STEEL PLATE BASE

This kind base has simple and clean design, will give you a discrete and elegant way to properly secure your central pole umbrellas, as well as side pole cantilevers. We also offer you options on wheels for easy-moving and weight stackers for windy environment.

| Item # | ZI100 | ZI150 | ZI200 |
|-------------------|--|--|--|
| Weight (Kg) | 100 Kg | 150 Kg | 200 Kg |
| L x W x H (cm) | 65 x 65 x 1.2 cm 80 x 80 x 1.2cm | 95 x 95 x 1.2 cm 108 x 108 x 1.2 cm | 95 x 95 x 1.2 cm 108 x 108 x 1.2 cm |
| Frame Treatment | E-coating and Powder coating, Hot galvanzing | | |
| Parasol size (cm) | Up to 350 cm | Up to 400 cm | Up to 500 cm |
| Option | Wheels | | |
| Fit for | MEERU / TICINO / KANI PRO / SIRMIONE | RHINE / MARCO / GARDA / TICINO | HAKURA / MITRE / GARDA-PRO |



| Item # | ZI55 | ZIW55 | ZIRW55 | ZI30 | ZIR30 | ZIW66 | ZIW106 | ZIW150 |
|-------------------|---|-------|---------------------|----------------------|-------|--|------------------|--------------------------------------|
| Weight (Kg) | 22 Kg | 22 Kg | 22 Kg | 12 Kg | 12 Kg | 30 Kg | 48 Kg | 68 Kg |
| L x W x H (cm) | 48.3 x 48.3 x 1.2 cm | | 56.5 x 56.5 x1.2 cm | 48.3 x 48.3 x 0.8 cm | | 49 x 49 x 1.6 cm | 63 x 63 x 1.6 cm | 46 x 46 x 1.2 cm 63 x 63 x 1.6 cm |
| Frame Treatment | E-coating and Powder coating | | | | | | | |
| Pole ϕ (mm) | 38 mm / 48 mm | | | | | | | |
| Parasol size (cm) | Up to 300 cm | | | | | Up to 350 cm | | |
| Fit for | COCOA / NIKA / MIRIHI / FARU / BARES / BODENGO / SANIBEL | | | | | COCOA / NIKA / MIRIHI /FARU / BARES /BODENGO / SANIBEL / VINCI / VIONE | | VIONE / BAROS |



PLASTIC BASE FOR WATER/SAND FILLING

We have several plastic base to choose, for both water and sand filling, with wheels and without. They are light to transport comparing to steel or stone base.

| | |
|-------------------|--|
| Item # | ZF02 |
| Weight (Kg) | 130 - 160 Kg |
| L x W x H (cm) | 85 x 85 x 18 cm |
| Frame Treatment | E-coating and Powder coating |
| Parasol size (cm) | Up to 350 cm |
| Option | Steel / Stainless steel wheels |
| Fit for | MEERU / TICINO / KANI PRO / SIMIONE / MARCO |



NATURE GRANITE STONE BASE

Natural granite base is most weather-resistant and durable for long-time outdoor using. It's safe choice for commercial using.



| | |
|-------------------|--------------------------------------|
| Item # | ZPW02 |
| Weight (Kg) | 110 - 150 Kg |
| L x W x H (cm) | 89 x 89 x 17.5 cm |
| Frame Treatment | E-coating and Powder coating |
| Parasol size (cm) | Up to 350 cm |
| Feature | with liftable wheels |
| Fit for | MEERU / TICINO / KANI PRO / SIRMIONE |

| | | | | |
|-------------------|---|--|----------------|-----------------|
| Item # | ZG70 | ZG100 | ZG130 | ZG200 |
| Weight (Kg) | 70 Kg | 100 Kg | 130 Kg | 200 Kg |
| L x W x H (cm) | 60 x 60 x 7 cm | 80 x 80 x 6 cm | 80 x 80 x 8 cm | 80 x 80 x 12 cm |
| Parasol size (cm) | Up to 400 cm | Up to 400 cm | Up to 400 cm | Up to 500 cm |
| Option | Steel / staniless steel wheels / plastic wheels | | | |
| Fit for | RHINE | MEERU / TICINO / KANI PRO / SIRMIONE / MARCO | | MITRE / GARDA |

| Item # | ZG35 | ZGR35 | ZG55 |
|-------------------|---|-----------------|------------------|
| Weight (Kg) | 35 Kg | 35 Kg | 55 Kg |
| L x W x H (cm) | 45 x 45 x 6.5 cm | Dia.45 x 8.2 cm | 50 x 50 x 8.2 cm |
| Pole φ (mm) | 38 / 48 mm | | 38 / 48 / 51 mm |
| Parasol size (cm) | Up to 350 cm | Up to 350 cm | Up to 350 cm |
| Fit for | COCOA / v / MIRIHI / FARU / BARES / BODENGO / SANIBEL / VINCI | | BAROS / VIONE |



CONCRETE-FILLED BASE

Concrete base is more popular with affordable price. It can be covered with plastic shell, aluminum shell, or 304/316 stainless steel shell.

| Item # | ZG60 |
|-------------------|---|
| Weight (Kg) | 60 Kg |
| L x W x H (cm) | Dia. 63 x 16.5 cm |
| Pole φ (mm) | 38 mm / 48 mm |
| Parasol size (cm) | Up to 300 cm |
| Fit for | COCOA / NIKA /MIRIHI / FARU / BARES / BODENGO / SANIBEL |



GROUND ANCHOR

This kind of base is more suitable for commercial applications, which occupy no additional space and never block your way.

| Item # | ZL02 | ZL03 | ZM01 | ZM03 |
|-------------------|--|-------------------------------|---|-------------------------------|
| Application | Grassland | | Concrete Ground | |
| L x W x H (cm) | 13 x 13 x 45 cm | Dia.18 x 50 cm | 18 x 18 x 1 cm | Dia.26 x 1.2 cm |
| Frame Treatment | Hot-dip galvanization | | | |
| Parasol size (cm) | Up to 350 cm | Up to 400 cm | Up to 400 cm | Up to 600 cm |
| Fit for | MEERU / TICINO / KANI PRO / SIRMIONE / RHINE / MARCO / GARDA | MITRE / HAKURA / GARDA-PRO | MEERU / TICINO / v PRO / SIRMIONE / RHINE / MARCO / GARDA | MITRE / HAKURA / GARDA-PRO |



SAND ANCHOR

To fix the umbrella on the beach, Sand Anchor will be more practical and easy to carry.

| Item # | ZM07 |
|-------------------|---|
| Weight (Kg) | - |
| L x W x H (cm) | Dia.5.1 x 100 |
| Frame Treatment | Matt anodizing |
| Parasol size (cm) | Up to 300 cm |
| Fit for | COCOA / NIKA / MIRIHI / FARU / BARES / BODENGO / SANIBEL |



Fabric Solution

A good horse with a good saddle, a good umbrella with a good canopy. Canopy is always an important part of outdoor umbrellas. Color of the canopy is a good eye-catcher to level up the scene of the outdoor area. The high quality of the canopy can offer good UV protection, while the weather resistant can guarantee long life span.

Yeeze can satisfy customers with different kinds of fabrics, including polyester, Olefin and Acrylic, both from local and imported. For local fabrics, Yeeze created its own fabric brand YEETEX to ensure the quality. For imported fabric, Yeeze can import from US, France, Spain and Indonesia etc, refering to the brands like Sunbrella, Recasens, Sunproof etc. Yeeze is willing and able to meet customers requirement on fabric suppliers.

According to different quality performance on the color fastness, UV protection, material strength, and aging resistance, YEETEX divide these fabrics into four classes: "Affordable", "Environmental", and "Professional". The division into substance classes does not represent a pure evaluation. Rather, they indicate the extent to which the characteristics of the substances are pronounced. This form can't tell the difference hand feelings, which can only find out with real fabric swatches in hand.

(Please view the diagram on the next page).

Yeeze umbrellas are with robust and stable construction, multiple functions, technical design, and humanity details, all of which means Yeeze umbrellas deserve good acrylic as canopy fabric - fabric classes 3. The acrylic fabrics have a high level of UV protection and excellent color fastness with a considerable period of fading, which means that umbrella owners can look forward to the new from summer to summer.

Fabric class 1 and 1+ are ideal for for those who are budget-conscious and who have slightly lower demands on color fastness. Fabric class 2 is a perfect green choice for environmental consideration.



| | Class 1 Affordable | Class 1+ Affordable | Class 2 Environmental | Class 3 Individual | Class 3+ Professional |
|-----------------------------|-------------------------|---|--------------------------|-------------------------|---|
| Fabric Material | 100% Polyester |  Axvision 100% Polyester | Olefin | 100% Acrylic |  100% Acrylic |
| Method | Solution dyed | Solution dyed | Solution dyed | Solution dyed | Solution dyed |
| Fabric Weight | 180-300g/m ² | 250-310g/m ² | 230-270g/m ² | 220-280g/m ² | 210-270g/m ² |
| Color Fastness | 1000 hours | 1500 hours Grade 4 | 500 hours Grade 3.5-4 | 2000 hours Grade 3-4 | 2200 hours Grade 4-5 |
| UV Protection | UV30+ | UV30+ | UV30~50 | UV50+ | Canvas UV50 ~ 80+ Cast/Spectrum UV30+ |
| Tearing & Breaking Strength | Pass | Pass | Pass | Good | Excellent |
| Aging Resistance | Good | Good | Natural decomposition | Excellent | Excellent |
| Water Repellency | 90 | 90 | 90 | 90 | 90 |
| Color Fastness Warranty | 1-2 years | 3 years | 1-2 years | 5 years | 5 years |
| Cost | 1 | 1.5 | 1-1.5 | 2 | 5 |

Class 1+ Polyester Pro

Axvision® is a brand that originated from Taiwan and specializing in fabrics for a wide variety of uses. This solution-dyed fabrics is rich in details, last in sunlight, and always made of a soft touch. This collection provides customers with high cost -effective and reliable choices by ensuring a competitive price with no compromise to quality, environment, and service. A three-year warranty is offered on every meter of the fabrics to ensure every customer is happy with the design and performance.



15225030152cm 250gsm(±10%)



15225026 152cm 250gsm(±10%)



15225032 152cm 250gsm(±10%)



15225040 152cm 250gsm(±10%)



15225035 152cm 250gsm(±10%)



15220001 152cm 250gsm(±10%)



15225039 152cm 250gsm(±10%)



15225022 152cm 250gsm(±10%)



15225037 152cm 250gsm(±10%)



15225038 152cm 250gsm(±10%)



15218005 152cm 260gsm(±10%)



15225018 152cm 250gsm(±10%)



15225031 152cm 250gsm(±10%)



15225041 152cm 250gsm(±10%)



15225028 152cm 250gsm(±10%)



15225020 152cm 250gsm(±10%)



15225060 152cm 310gsm(±10%)



15221134 152cm 280gsm(±10%)



15225033 152cm 250gsm(±10%)



15225056 152cm 250gsm(±10%)



15225053 152cm 310gsm(±10%)



15225059 152cm 310gsm(±10%)



15225050 152cm 310gsm(±10%)



15225055 152cm 310gsm(±10%)

Class 3 YEETEX Acrylic



YEETEX Acrylic is 100% solution dyed. The stock solution coloring technology enables the color to be evenly distributed in the fibers leading to a high color fastness to sunlight. After 2000 hours of exposure to sunlight, it can keep bright colors like new.

The aging resistance of acrylic fiber is many times stronger and longer lasting than Polyester and Olefin, making it more suitable for outdoor umbrellas.

With a weight of 260g, it provides UV80 protection (According to UV standing 801). Additionally, we have over 20 colors in stock and have no minimum order quantity requirement.

All of these advantages making YEETEX acrylic the most popular fabric choice for outdoor umbrellas.





A leader in its field for more than 60 years, the American **Sunbrella®** brand brings together performance and design to produce sophisticated fabrics for indoor and outdoor use.

A global leader in the creation of innovative fabrics for marine and sailing activities, the brand is also an expert in the upholstery fabrics sector.

Skilfully combining performance, design and creativity, **Sunbrella®** develops top-quality contemporary collections, and continuously transforms and reinvents its products to meet the needs of its discerning customers. Building on its unique weaving and yarn-dyeing expertise, the brand has developed a technical process that makes it stand out from the competition.

Sunbrella® believes fabrics should be stylish and practical and has cemented its position as a leading manufacturer of high-performance textiles.

Sunbrella fabrics are designed and manufactured by Dickson Constant in northern France.

Canvas Series

| | | | | |
|-----------|-----------|-----------|-----------|-----------|
| | | | | |
| 5402-0000 | 5404-0000 | 5408-0000 | 5409-0000 | 5429-0000 |
| | | | | |
| 5439-0000 | 5453-0000 | 5476-0000 | 5492-0000 | 5498-0000 |


Shade Series

| | | | | |
|------------------------|------------------------|------------------------|------------------------|------------------------|
| | | | | |
| 4608-0000 6008-0000 | 4637-0000 6037-0000 | 4633-0000 6033-0000 | 40432-0000 | 48114-0000 |
| | | | | |
| 40433-0000 | 40434-0000 | 4603-0000 6003-0000 | 4642-0000 6042-0000 | 4646-0000 6046-0000 |



Frame Treatment

Frame treatment is an indispensable important step to ensure the quality of the umbrella, as well as the elegant appearance. Yeeze can do four treatments: powder coating, matt anodizing, shinny anodizing and heat transfer wooden looking.



Powder Coating

It is most popular treatment for the frames. Beside environmental standard, the powder Yeeze used is with glitter metal powder which makes the appearance more high-end. And Yeeze do the powder coating with slightly metal powder for better hand feeling.



BROWN 0S



BLACK 9S




WHITE 3S



GREY 6S

Anodizing

It is a treatment directly applied to the aluminum itself. It's most high-end appearance and it is more durable for application in salty environment, e.g pool, beach. There're matt anodizing and shinning anodizing.



Heat-Transfer Wooden Looking

It is a special treatment to appy the wooden looking onto the tube surface, which make the tube similar to the wooden appearance.




CH-2



CV-5

Protective Cover

As an important accessory of outdoor umbrellas and furniture, we pay much attention to the details of the protective cover. The fabric must be weather-resistant, fade-resistant as well as water-resistant. What's more, our protective feature ventilation holes to allow air flow and prevent mold growth. Don't need the cover in the summer? Each cover features a convenient built-in storage pouch to keep the covers safe, secure, and out of the way.



Customization and Advertisement

As an experienced outdoor umbrella manufacturer, if you need umbrellas for HoReCa projects, we can also provide you with advertising customization services on the top canopy. We can do on frame tube as well as on the fabric.

Laser Engraving

We have Laser engraving machines to create visible logos on the aluminum tube surface, no matter the tube surface is powder coated, or anodized, or heat-transfer wooden looking treated. And the logo size can be as large as 15cm wide.



Silk Screen Printing

On the canopy, we use silk screen print to customize those designs in solid colors and logo size can reach to 60cm wide.



Where there is sun, there is YEEZE SHADE

Yeeze is a high-end outdoor umbrella company with 25 years of experience in designing and manufacturing functional and strong umbrellas.

All over the world our mission is the same - Develop and Co-develop high quality and beautiful Outdoor umbrellas that help customers expand their outdoor business.

Ningbo Yeeze Commodities Co., Ltd

+86 1806 7158 609

sales@yeezeshade.com

www.yeezeshade.com

No. 289, North Yindong Road, Yinzhou Economic Development Zone,
Yinzhou District, Ningbo City, Zhejiang Province

